YDPU2.E255532 - TUBING, EXTRUDED INSULATING - COMPONENT

Tubing, Extruded Insulating - Component

See General Information for Tubing, Extruded Insulating - Component

TAIWAN YUN LIN ELECTRONIC CO LTD

E255532

361-1 SHANJIN RD, SEC 1 YUANLIN JEN CHANGHUA, TAIWAN

Cat. No.	Max V rms	Max Oper Temp, °C	Color Recognized	Oil-resistance Class[a]	VW-1 Rated[b]
Heat shrinkable Polyolefin tubing with meltable adhesive liner					
AIS, AIS 2X, AIS 3X, AIS 4X	600	125	ВК	-	Yes
Flexible heat shrinkable Polyolefin tubing with meltable liner					
AIS-C	600	125	All except clear	-	No
Flexible heat shrinkable Polyolefin tubing					
C5, C2	600	125	All colors except clear	-	Yes
G5 (CTMS/TMS)	600	125	All except clear	-	Yes
G5-CB	300	125	All except clear	-	Yes
Heat shrinkable irradiation cross linked modified Fluoropolymer					
HTK150	600	150	BK, CL	-	Yes
Not heat shrinkable PVC tubing					
NSPVC	600	105	All	-	Yes

[[]a] - Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).

Marking: Company name or trademark , catalog designation, inside diameter (before and after recovery for heat-shrinkable tubing), voltage rating, temperature rating in degrees celsius, date of manufacture (or traceable code) and the Recognized Component Mark, printed on tags attached to both ends of the tubing or printed on the shipping spool label or smallest unit container in which the product is packaged.

Last Updated on 2019-01-28

[[]b] - Tubing is considered to comply with the optional VW-1 flammability requirements only if authorized in the above table and if so marked.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"